

HIGH-PERFORMANCE DRILLS

Application: Improved accuracy and surface finish

ISO Material Grades : **P M S**



1. 140° Point Geometry

Split point, 4 facet for superior drilling penetration and accuracy. No pecking is required.


2. Double Margin

Improved drilling stability and hole straightness.

3. Varianta Supral Coated

Coating provides a low coefficient of friction, reducing drill wear.

4. Available in 3xD – 12xD




Item Description (Insert 03 or 05 in place of _)	**DC Cutting Diameter			DCONMS	3xD Dimensions (mm)				5xD Dimensions (mm)			
	Fraction	Decimal	mm		LU Usable Length	LCF Length Chip Flute	OAL Overall Length	Item Number	LU Usable Length	LCF Length Chip Flute	OAL Overall Length	Item Number
DXC_03000T9		.1181	3.000	6	16	20	62	9544480	24	28	66	9544634
DXC_03100T9		.1220	3.100	6	15	20	62	9544481	23	28	66	9544635
DXC_03175T9	1/8	.1250	3.175	6	15	20	62	9544482	23	28	66	9544637
DXC_03200T9		.1260	3.200	6	15	20	62	9544483	23	28	66	9544638
DXC_03300T9		.1299	3.300	6	15	20	62	9544484	23	28	66	9544639
DXC_03400T9		.1339	3.400	6	15	20	62	9544485	23	28	66	9544640
DXC_03500T9		.1378	3.500	6	15	20	62	9544486	23	28	66	9544641
DXC_03572T9	9/64	.1406	3.571	6	15	20	62	9544487	23	28	66	9544642
DXC_03600T9		.1417	3.600	6	15	20	62	9544488	23	28	66	9544643
DXC_03700T9		.1457	3.700	6	14	20	62	9544489	22	28	66	9544644
DXC_03800T9		.1496	3.800	6	18	24	66	9544490	30	36	74	9544645
DXC_03900T9		.1535	3.900	6	18	24	66	9544491	30	36	74	9544646
DXC_03970T9	5/32	.1563	3.970	6	18	24	66	9544492	30	36	74	9544647
DXC_04000T9		.1575	4.000	6	18	24	66	9544494	30	36	74	9544648
DXC_04100T9		.1614	4.100	6	18	24	66	9544495	30	36	74	9544649
DXC_04200T9		.1654	4.200	6	18	24	66	9544496	30	36	74	9544650
DXC_04300T9		.1693	4.300	6	18	24	66	9544498	30	36	74	9544651
DXC_04370T9	11/64	.1719	4.370	6	17	24	66	9544499	29	36	74	9544652
DXC_04400T9		.1732	4.400	6	17	24	66	9544500	29	36	74	9544654
DXC_04500T9		.1772	4.500	6	17	24	66	9544501	29	36	74	9544656
DXC_04600T9		.1811	4.600	6	17	24	66	9544502	29	36	74	9544657
DXC_04650T9		.1831	4.650	6	17	24	66	9544503	29	36	74	9544658
DXC_00130T9	#13	.1850	4.700	6	17	24	66	9544479	29	36	74	9544633
DXC_04760T9	3/16	.1875	4.760	6	21	28	66	9544504	37	44	82	9544660
DXC_00120T9	#12	.1890	4.800	6	21	28	66	9544478	37	44	82	9544632
DXC_04900T9		.1929	4.900	6	21	28	66	9544506	37	44	82	9544661
DXC_05000T9		.1969	5.000	6	20	28	66	9544507	36	44	82	9544662
DXC_05100T9		.2008	5.100	6	20	28	66	9544508	36	44	82	9544663
DXC_05160T9	13/64	.2031	5.160	6	20	28	66	9544509	36	44	82	9544664
DXC_00060T9	#6	.2040	5.182	6	20	28	66	9544477	36	44	82	9544631
DXC_05200T9		.2047	5.200	6	20	28	66	9544510	36	44	82	9544665
DXC_05300T9		.2087	5.300	6	20	28	66	9544511	36	44	82	9544666
DXC_05400T9		.2126	5.400	6	20	28	66	9544512	36	44	82	9544667
DXC_05500T9		.2165	5.500	6	20	28	66	9544513	36	44	82	9544668
DXC_05550T9		.2185	5.550	6	20	28	66	9544514	36	44	82	9544669
DXC_05560T9	7/32	.2187	5.560	6	20	28	66	9544515	36	44	82	9544670
DXC_05600T9		.2205	5.600	6	20	28	66	9544516	36	44	82	9544671
DXC_05700T9		.2244	5.700	6	19	28	66	9544517	35	44	82	9544672
DXC_05800T9		.2283	5.800	6	19	28	66	9544518	35	44	82	9544673
DXC_05900T9		.2323	5.900	6	19	28	66	9544520	35	44	82	9544676
DXC_05950T9	15/64	.2344	5.950	6	19	28	66	9544521	35	44	82	9544677
DXC_06000T9		.2362	6.000	6	19	28	66	9544522	35	44	82	9544678
DXC_06100T9		.2402	6.100	8	25	34	79	9544524	44	53	91	9544679
DXC_06200T9		.2441	6.200	8	25	34	79	9544525	44	53	91	9544680
DXC_06300T9		.2480	6.300	8	25	34	79	9544526	44	53	91	9544681

***Order Example**

DXC_03000T9 > 03xD >>> DXC0303000T9

DXC_03000T9 > 05xD >>> DXC0503000T9

"Other Dimensions Are Available Upon Request"




Item Description (Insert 03 or 05 in place of _) *Order Example	**DC Cutting Diameter			DCONMS	3xD Dimensions (mm)				5xD Dimensions (mm)			
	Fraction	Decimal	mm		LU Usable Length	LCF Length Chip Flute	OAL Overall Length	Item Number	LU Usable Length	LCF Length Chip Flute	OAL Overall Length	Item Number
DXC_ _06350T9		.2500	6.350	8	24	34	79	9544527	43	53	91	9544682
DXC_ _06400T9		.2520	6.400	8	24	34	79	9544530	43	53	91	9544683
DXC_ _06500T9		.2559	6.500	8	24	34	79	9544531	43	53	91	9544684
DXC_ _06600T9		.2598	6.600	8	24	34	79	9544533	43	53	91	9544685
DXC_ _06700T9		.2638	6.700	8	24	34	79	9544534	43	53	91	9544686
DXC_ _06750T9	17/64	.2656	6.750	8	24	34	79	9544535	43	53	91	9544687
DXC_ _06800T9		.2677	6.800	8	24	34	79	9544536	43	53	91	9544688
DXC_ _06900T9		.2717	6.900	8	31	41	79	9544538	43	53	91	9544689
DXC_ _07000T9		.2756	7.000	8	31	41	79	9544541	42	53	91	9544690
DXC_ _07100T9		.2795	7.100	8	30	41	79	9544542	42	53	91	9544691
DXC_ _07140T9	9/32	.2813	7.140	8	30	41	79	9544543	42	53	91	9544692
DXC_ _07200T9		.2835	7.200	8	30	41	79	9544544	42	53	91	9544693
DXC_ _07300T9		.2874	7.300	8	30	41	79	9544545	42	53	91	9544694
DXC_ _07400T9		.2913	7.400	8	30	41	79	9544546	42	53	91	9544695
DXC_ _07500T9		.2953	7.500	8	30	41	79	9544547	42	53	91	9544696
DXC_ _07540T9	19/64	.2969	7.540	8	30	41	79	9544548	42	53	91	9544697
DXC_ _07600T9		.2992	7.600	8	30	41	79	9593286	42	53	91	9593227
DXC_ _07700T9		.3031	7.700	8	29	41	79	9544549	41	53	91	9544698
DXC_ _07800T9		.3071	7.800	8	29	41	79	9544550	41	53	91	9544699
DXC_ _07900T9		.3110	7.900	8	29	41	79	9544551	41	53	91	9544700
DXC_ _07940T9	5/16	.3125	7.940	8	29	41	79	9544552	41	53	91	9544701
DXC_ _08000T9		.3150	8.000	8	29	41	79	9544554	41	53	91	9544702
DXC_ _08100T9		.3189	8.100	10	35	47	89	9544555	49	61	103	9544703
DXC_ _08200T9		.3228	8.200	10	35	47	89	9544556	49	61	103	9544704
DXC_ _08300T9		.3268	8.300	10	35	47	89	9544557	49	61	103	9544705
DXC_ _08330T9	21/64	.3281	8.330	10	35	47	89	9544558	49	61	103	9544706
DXC_ _08400T9		.3307	8.400	10	34	47	89	9544559	48	61	103	9544707
DXC_ _08500T9		.3346	8.500	10	34	47	89	9544560	48	61	103	9544708
DXC_ _08600T9		.3386	8.600	10	34	47	89	9544561	48	61	103	9544709
DXC_ _08700T9		.3425	8.700	10	34	47	89	9544562	48	61	103	9544710
DXC_ _08730T9	11/32	.3437	8.730	10	34	47	89	9544563	48	61	103	9544711
DXC_ _08800T9		.3465	8.800	10	34	47	89	9544564	48	61	103	9544712
DXC_ _08900T9		.3504	8.900	10	34	47	89	9593209	48	61	103	9593228
DXC_ _09000T9		.3543	9.000	10	34	47	89	9544566	48	61	103	9544713
DXC_ _09100T9		.3583	9.100	10	33	47	89	9593210	47	61	103	9593229
DXC_ _09130T9	23/64	.3594	9.130	10	33	47	89	9544567	47	61	103	9544714
DXC_ _09200T9		.3622	9.200	10	33	47	89	9544568	47	61	103	9544715
DXC_ _09300T9		.3661	9.300	10	33	47	89	9544569	47	61	103	9544716
DXC_ _09400T9		.3700	9.400	10	33	47	89	9593211	47	61	103	9593230
DXC_ _09500T9		.3740	9.500	10	33	47	89	9544570	47	61	103	9544717
DXC_ _09520T9		.3750	9.525	10	33	47	89	9544571	47	61	103	9544718
DXC_ _09600T9		.3780	9.600	10	33	47	89	9544573	47	61	103	9544719
DXC_ _09700T9		.3819	9.700	10	32	47	89	9593212	46	61	103	9593231
DXC_ _09800T9		.3858	9.800	10	32	47	89	9544574	46	61	103	9544720
DXC_ _09900T9		.3898	9.900	10	32	47	89	9544575	46	61	103	9544721
DXC_ _09920T9	25/64	.3906	9.920	10	32	47	89	9544576	46	61	103	9544722
DXC_ _10000T9		.3937	10.000	10	32	47	89	9544577	46	61	103	9544723
DXC_ _10100T9		.3976	10.100	12	40	55	102	9544578	56	71	118	9544724
DXC_ _10200T9		.4016	10.200	12	40	55	102	9544579	56	71	118	9544725
DXC_ _10300T9		.4055	10.300	12	40	55	102	9544580	56	71	118	9544726
DXC_ _10320T9	13/32	.4063	10.320	12	40	55	102	9544581	56	71	118	9544727
DXC_ _10400T9		.4094	10.400	12	39	55	102	9544582	55	71	118	9544728
DXC_ _10500T9		.4134	10.500	12	39	55	102	9544583	55	71	118	9544729
DXC_ _10600T9		.4173	10.600	12	39	55	102	9593213	55	71	118	9593232
DXC_ _10700T9		.4213	10.700	12	39	55	102	9593214	55	71	118	9593233

***Order Example**

DXC_ _05900T9 > 03xD >>> DXC0305900T9

DXC_ _05900T9 > 05xD >>> DXC0505900T9

"Other Dimensions Are Available Upon Request"




Item Description (Insert 03 or 05 in place of _ _) *Order Example	**DC Cutting Diameter			DCONMS	3xD Dimensions (mm)				5xD Dimensions (mm)			
	Fraction	Decimal	mm		LU Usable Length	LCF Length Chip Flute	OAL Overall Length	Item Number	LU Usable Length	LCF Length Chip Flute	OAL Overall Length	Item Number
DXC_ _10720T9	27/64	.4219	10.716	12	39	55	102	9544584	55	71	118	9544730
DXC_ _10800T9		.4252	10.800	12	39	55	102	9544585	55	71	118	9544732
DXC_ _10900T9		.4291	10.900	12	39	55	102	9593215	55	71	118	9593234
DXC_ _11000T9		.4331	11.000	12	38	55	102	9544586	55	71	118	9544733
DXC_ _11100T9		.4370	11.100	12	38	55	102	9544587	54	71	118	9544734
DXC_ _11113T9		.4375	11.113	12	38	55	102	9544588	54	71	118	9544735
DXC_ _11200T9		.4409	11.200	12	38	55	102	9544590	54	71	118	9544736
DXC_ _11300T9		.4449	11.300	12	38	55	102	9593216	54	71	118	9593235
DXC_ _11400T9		.4488	11.400	12	38	55	102	9593217	54	71	118	9593221
DXC_ _11500T9		.4528	11.500	12	38	55	102	9544591	54	71	118	9544737
DXC_ _11510T9	29/64	.4531	11.510	12	38	55	102	9544592	54	71	118	9544738
DXC_ _11600T9		.4567	11.600	12	38	55	102	9593218	54	71	118	9593222
DXC_ _11700T9		.4606	11.700	12	37	55	102	9544593	53	71	118	9544739
DXC_ _11800T9		.4646	11.800	12	37	55	102	9544594	53	71	118	9544740
DXC_ _11900T9		.4685	11.900	12	37	55	102	9593219	53	71	118	9593223
DXC_ _11910T9	15/32	.4687	11.910	12	37	55	102	9544595	53	71	118	9544741
DXC_ _12000T9		.4724	12.000	12	37	55	102	9544596	53	71	118	9544742
DXC_ _12100T9		.4764	12.100	14	42	60	107	9544597	59	77	124	9544743
DXC_ _12200T9		.4803	12.200	14	42	60	107	9544598	59	77	124	9544744
DXC_ _12300T9		.4843	12.300	14	42	60	107	9544599	59	77	124	9544745
DXC_ _12303T9	31/64	.4844	12.303	14	42	60	107	9544600	59	77	124	9544746
DXC_ _12400T9		.4882	12.400	14	41	60	107	9544601	58	77	124	9593668
DXC_ _12500T9		.4921	12.500	14	41	60	107	9544602	58	77	124	9544747
DXC_ _12600T9		.4961	12.600	14	41	60	107	9544603	58	77	124	9544748
DXC_ _12700T9	1/2	.5000	12.700	14	41	60	107	9544604	58	77	124	9544749
DXC_ _12800T9		.5039	12.800	14	41	60	107	9593664	58	77	124	9593669
DXC_ _12900T9		.5079	12.900	14	41	60	107	9593665	58	77	124	9593670
DXC_ _13000T9		.5118	13.000	14	41	60	107	9544606	58	77	124	9544750
DXC_ _13300T9		.5236	13.300	14	40	60	107	9544607	57	77	124	9544751
DXC_ _13490T9	17/32	.5313	13.490	14	40	60	107	9544608	57	77	124	9544752
DXC_ _13500T9		.5315	13.500	14	40	60	107	9544609	57	77	124	9544753
DXC_ _14000T9		.5512	14.000	14	39	60	107	9544610	56	77	124	9544754
DXC_ _14290T9		.5625	14.288	16	44	65	115	9544611	62	83	133	9544755
DXC_ _14500T9		.5709	14.500	16	43	65	115	9544613	61	83	133	9544756
DXC_ _15000T9		.5906	15.000	16	42	65	115	9544614	60	83	133	9544757
DXC_ _15500T9		.6102	15.500	16	42	65	115	9544615	60	83	133	9544758
DXC_ _15870T9		.6250	15.875	16	41	65	115	9544616	59	83	133	9544759
DXC_ _16000T9		.6299	16.000	16	41	65	115	9544618	59	83	133	9544760
DXC_ _16500T9		.6496	16.500	18	48	73	123	9544619	68	93	143	9544761
DXC_ _17000T9		.6693	17.000	18	48	73	123	9544621	68	93	143	9544762
DXC_ _17460T9	11/16	.6875	17.460	18	47	73	123	9593220	67	93	143	9593224
DXC_ _17500T9		.6890	17.500	18	47	73	123	9544622	67	93	143	9544763
DXC_ _18000T9		.7087	18.000	18	46	73	123	9544623	66	93	143	9544764
DXC_ _18500T9		.7283	18.500	20	51	79	131	9544624	73	101	153	9544765
DXC_ _19000T9		.7480	19.000	20	50	79	131	9593226	72	101	153	9593225
DXC_ _19050T9	3/4	.7500	19.050	20	50	79	131	9544625	72	101	153	9544766
DXC_ _19500T9		.7677	19.500	20	50	79	131	9544627	72	101	153	9544767
DXC_ _20000T9		.7874	20.000	20	49	79	131	9544628	71	101	153	9544768

***Order Example**

DXC_ _10300T99 > 03xD >>> DXC0310300T9

DXC_ _10300T99 > 05xD >>> DXC0510300T9

"Other Dimensions Are Available Upon Request"




Item Description (Insert 08 or 12 in place of _) *Order Example	*DC Cutting Diameter			DCONMS	8xD Dimensions (mm)				12xD Dimensions (mm)			
	Fraction	Decimal	mm		LU Usable Length	LCF Length Chip Flute	OAL Overall Length	Item Number	LU Usable Length	LCF Length Chip Flute	OAL Overall Length	Item Number
DXC_03000T9	1/8	.1181	3.00	6	30	34	72	9544774	49	54	92	9544910
DXC_03100T9		.1220	3.10	6	29	34	72	9544775	49	54	92	9544911
DXC_03175T9		.1250	3.18	6	29	34	72	9544776	49	54	92	9544912
DXC_03200T9		.1260	3.20	6	29	34	72	9544777	49	54	92	9544913
DXC_03300T9		.1299	3.30	6	29	34	72	9544778	49	54	92	9544914
DXC_03400T9	9/64	.1339	3.40	6	29	34	72	9544779	49	54	92	9544915
DXC_03500T9		.1378	3.50	6	29	34	72	9544780	49	54	92	9544916
DXC_03572T9		.1406	3.57	6	29	34	72	9544781	49	54	92	9544917
DXC_03600T9		.1417	3.60	6	29	34	72	9544782	49	54	92	9544918
DXC_03700T9		.1457	3.70	6	28	34	72	9544783	48	54	92	9544919
DXC_03800T9	5/32	.1496	3.80	6	37	43	81	9544784	58	64	102	9544920
DXC_03900T9		.1535	3.90	6	37	43	81	9544785	58	64	102	9544921
DXC_03970T9		.1563	3.97	6	37	43	81	9544786	58	64	102	9544922
DXC_04000T9		.1575	4.00	6	37	43	81	9544787	58	64	102	9544923
DXC_04100T9		.1614	4.10	6	37	43	81	9544788	58	64	102	9544924
DXC_04200T9	11/64	.1654	4.20	6	37	43	81	9544789	58	64	102	9544925
DXC_04300T9		.1693	4.30	6	37	43	81	9544791	58	64	102	9544926
DXC_04370T9		.1719	4.37	6	36	43	81	9544792	57	64	102	9544927
DXC_04400T9		.1732	4.40	6	36	43	81	9544793	57	64	102	9544928
DXC_04500T9		.1772	4.50	6	36	43	81	9544794	57	64	102	9544929
DXC_04600T9	#13	.1811	4.60	6	36	43	81	9544795	57	64	102	9544930
DXC_04650T9		.1831	4.65	6	36	43	81	9544796	57	64	102	9544931
DXC_00130T9		.1850	4.70	6	36	43	81	9544772	57	64	102	9544909
DXC_04760T9		.1875	4.76	6	50	57	95	9544797	71	78	116	9544932
DXC_00120T9		.1890	4.80	6	50	57	95	9544771	71	78	116	9544908
DXC_04900T9	#12	.1929	4.90	6	50	57	95	9544798	71	78	116	9544933
DXC_05000T9		.1969	5.00	6	49	57	95	9544799	70	78	116	9544934
DXC_05100T9		.2008	5.10	6	49	57	95	9544800	70	78	116	9544935
DXC_05160T9		.2031	5.16	6	49	57	95	9544801	70	78	116	9544936
DXC_00060T9		.2040	5.18	6	49	57	95	9544770	70	78	116	9544907
DXC_05200T9	#6	.2047	5.20	6	49	57	95	9544802	70	78	116	9544937
DXC_05300T9		.2087	5.30	6	49	57	95	9544803	70	78	116	9544938
DXC_05400T9		.2126	5.40	6	49	57	95	9544804	70	78	116	9544939
DXC_05500T9		.2165	5.50	6	49	57	95	9544805	70	78	116	9544940
DXC_05550T9		.2185	5.55	6	49	57	95	9544806	70	78	116	9544941
DXC_05560T9	7/32	.2187	5.55	6	49	57	95	9544807	70	78	116	9544942
DXC_05600T9		.2205	5.60	6	49	57	95	9544808	70	78	116	9544943
DXC_05700T9		.2244	5.70	6	48	57	95	9544809	69	78	116	9544944
DXC_05800T9		.2283	5.80	6	48	57	95	9544810	69	78	116	9544945
DXC_05900T9		.2323	5.90	6	48	57	95	9544811	69	78	116	9544946
DXC_05950T9	15/64	.2344	5.95	6	48	57	95	9544812	69	78	116	9544947
DXC_06000T9		.2362	6.00	6	48	57	95	9544813	69	78	116	9544948
DXC_06100T9		.2402	6.10	8	67	76	114	9544814	99	108	146	9544949
DXC_06200T9		.2441	6.20	8	67	76	114	9544815	99	108	146	9544950
DXC_06300T9		.2480	6.30	8	67	76	114	9544816	99	108	146	9544951
DXC_06350T9	1/4	.2500	6.35	8	66	76	114	9544817	98	108	146	9544952
DXC_06400T9		.2520	6.40	8	66	76	114	9544819	98	108	146	9544953
DXC_06500T9		.2559	6.50	8	66	76	114	9544820	98	108	146	9544954
DXC_06600T9		.2598	6.60	8	66	76	114	9544821	98	108	146	9544955
DXC_06700T9		.2638	6.70	8	66	76	114	9544822	98	108	146	9544956
DXC_06750T9	17/64	.2656	6.75	8	66	76	114	9544823	98	108	146	9544957
DXC_06800T9		.2677	6.80	8	66	76	114	9544824	98	108	146	9544958
DXC_06900T9		.2717	6.90	8	66	76	114	9544825	98	108	146	9544959
DXC_07000T9		.2756	7.00	8	65	76	114	9544826	98	108	146	9544960
DXC_07100T9		.2795	7.10	8	65	76	114	9544827	97	108	146	9544961
DXC_07140T9	9/32	.2813	7.15	8	65	76	114	9544828	97	108	146	9544962
DXC_07200T9		.2835	7.20	8	65	76	114	9544829	97	108	146	9544963
DXC_07300T9		.2874	7.30	8	65	76	114	9544830	97	108	146	9592568
DXC_07400T9		.2913	7.40	8	65	76	114	9544831	97	108	146	9592569
DXC_07500T9		.2953	7.50	8	65	76	114	9544832	97	108	146	9544964
DXC_07540T9	19/64	.2969	7.54	8	65	76	114	9544833	97	108	146	9544965
DXC_07700T9		.3031	7.70	8	64	76	114	9544834	96	108	146	9544966
DXC_07800T9		.3071	7.80	8	64	76	114	9544835	96	108	146	9544967
DXC_07900T9		.3110	7.90	8	64	76	114	9544836	96	108	146	9544968
DXC_07940T9		.3125	7.94	8	64	76	114	9544837	96	108	146	9544969
DXC_08000T9	5/16	.3150	8.00	8	64	76	114	9544838	96	108	146	9544970
DXC_08100T9		.3189	8.10	10	83	95	142	9544839	108	120	162	9544971

***Order Example**

DXC_03000T9 > 08xD >>> DXC0803000T9

DXC_03000T9 > 12xD >>> DXC1203000T9

"Other Dimensions Are Available Upon Request"



Item Description (Insert 08 or 12 in place of _ _) *Order Example	**DC Cutting Diameter			DCONMS	8xD				12xD			
	Fraction	Decimal	mm		LU Usable Length	LCF Length Chip Flute	OAL Overall Length	Item Number	LU Usable Length	LCF Length Chip Flute	OAL Overall Length	Item Number
DXC_ _08200T9		.3228	8.20	10	83	95	142	9544840	108	120	162	9544972
DXC_ _08300T9		.3268	8.30	10	83	95	142	9544841	108	120	162	9544973
DXC_ _08330T9	21/64	.3281	8.33	10	82	95	142	9544842	108	120	162	9544974
DXC_ _08400T9		.3307	8.40	10	82	95	142	9544843	107	120	162	9544975
DXC_ _08500T9		.3346	8.50	10	82	95	142	9544844	107	120	162	9544976
DXC_ _08600T9		.3386	8.60	10	82	95	142	9544845	107	120	162	9544977
DXC_ _08700T9		.3425	8.70	10	82	95	142	9544846	107	120	162	9544978
DXC_ _08730T9	11/32	.3437	8.73	10	82	95	142	9544847	107	120	162	9544979
DXC_ _08800T9		.3465	8.80	10	82	95	142	9544848	107	120	162	9544980
DXC_ _09000T9		.3543	9.00	10	82	95	142	9544849	107	120	162	9544981
DXC_ _09130T9	23/64	.3594	9.13	10	81	95	142	9544850	106	120	162	9544982
DXC_ _09200T9		.3622	9.20	10	81	95	142	9544851	106	120	162	9544983
DXC_ _09300T9		.3661	9.30	10	81	95	142	9544852	106	120	162	9544984
DXC_ _09500T9		.3740	9.50	10	81	95	142	9544853	106	120	162	9544985
DXC_ _09520T9	3/8	.3750	9.53	10	81	95	142	9544854	106	120	162	9544986
DXC_ _09600T9		.3780	9.60	10	81	95	142	9544855	106	120	162	9544987
DXC_ _09800T9		.3858	9.80	10	80	95	142	9544856	105	120	162	9544988
DXC_ _09900T9		.3898	9.90	10	80	95	142	9544857	105	120	162	9544989
DXC_ _09920T9	25/64	.3906	9.92	10	80	95	142	9544858	105	120	162	9544990
DXC_ _10000T9		.3937	10.00	10	80	95	142	9544859	105	120	162	9544991
DXC_ _10100T9		.3976	10.10	12	99	114	162	9544860	141	156	204	9544992
DXC_ _10200T9		.4016	10.20	12	99	114	162	9544861	141	156	204	9544993
DXC_ _10300T9		.4055	10.30	12	99	114	162	9544862	141	156	204	9544994
DXC_ _10320T9	13/32	.4063	10.32	12	99	114	162	9544863	141	156	204	9544995
DXC_ _10400T9		.4094	10.40	12	98	114	162	9544864	140	156	204	9544996
DXC_ _10500T9		.4134	10.50	12	98	114	162	9544865	140	156	204	9544997
DXC_ _10720T9	27/64	.4219	10.72	12	98	114	162	9544866	140	156	204	9544998
DXC_ _10800T9		.4252	10.80	12	98	114	162	9544868	140	156	204	9544999
DXC_ _11000T9		.4331	11.00	12	98	114	162	9544869	139	156	204	9545000
DXC_ _11100T9		.4370	11.10	12	97	114	162	9544870	139	156	204	9545001
DXC_ _11113T9	7/16	.4375	11.11	12	97	114	162	9544871	139	156	204	9545002
DXC_ _11200T9		.4409	11.20	12	97	114	162	9544872	139	156	204	9545003
DXC_ _11500T9		.4528	11.50	12	97	114	162	9544873	139	156	204	9545004
DXC_ _11510T9	29/64	.4531	11.51	12	97	114	162	9544874	139	156	204	9545005
DXC_ _11700T9		.4606	11.70	12	96	114	162	9544875	138	156	204	9545006
DXC_ _11800T9		.4646	11.80	12	96	114	162	9544876	138	156	204	9545007
DXC_ _11910T9	15/32	.4687	11.90	12	96	114	162	9544877	138	156	204	9545008
DXC_ _12000T9		.4724	12.00	12	96	114	162	9544878	138	156	204	9545009
DXC_ _12100T9		.4764	12.10	14	113	131	178	9544879	164	182	230	9545010
DXC_ _12200T9		.4803	12.20	14	113	131	178	9544880	164	182	230	9545011
DXC_ _12300T9		.4843	12.30	14	113	131	178	9544881	164	182	230	9545012
DXC_ _12303T9	31/64	.4844	12.30	14	113	131	178	9544882	164	182	230	9545013
DXC_ _12500T9		.4921	12.50	14	112	131	178	9544883	163	182	230	9545014
DXC_ _12600T9		.4961	12.60	14	112	131	178	9544884	163	182	230	9545015
DXC_ _12700T9	1/2	.5000	12.70	14	112	131	178	9544885	163	182	230	9545016
DXC_ _13000T9		.5118	13.00	14	112	131	178	9544886	163	182	230	9545017
DXC_ _13300T9		.5236	13.30	14	111	131	178	9544887	162	182	230	9545018
DXC_ _13490T9	17/32	.5313	13.50	14	111	131	178	9544888	162	182	230	9545019
DXC_ _13500T9		.5315	13.50	14	111	131	178	9544889	162	182	230	9545020
DXC_ _14000T9		.5512	14.00	14	110	131	178	9544890	161	182	230	9545021
DXC_ _14290T9	9/16	.5625	14.29	16	131	152	203	9544891	187	208	260	9545022
DXC_ _14500T9		.5709	14.50	16	130	152	203	9544892	186	208	260	9545023
DXC_ _15000T9		.5906	15.00	16	129	152	203	9544893	185	208	260	9545024
DXC_ _15500T9		.6102	15.50	16	129	152	203	9544894	185	208	260	9545025
DXC_ _15870T9	5/8	.6250	15.88	16	128	152	203	9544895	184	208	260	9545026
DXC_ _16000T9		.6299	16.00	16	128	152	203	9544896	184	208	260	9545027
DXC_ _16500T9		.6496	16.50	18	146	171	222	9544898	209	234	285	9545028
DXC_ _17000T9		.6693	17.00	18	146	171	222	9544899	209	234	285	9545029
DXC_ _17500T9		.6890	17.50	18	145	171	222	9544900	208	234	285	9545030
DXC_ _18000T9		.7087	18.00	18	144	171	222	9544901	207	234	285	9545031
DXC_ _18500T9		.7283	18.50	20	162	190	243	9544902	230	258	310	9545032
DXC_ _19050T9	3/4	.7500	19.05	20	161	190	243	9544903	229	258	310	9545033
DXC_ _19500T9		.7677	19.50	20	161	190	243	9544904	229	258	310	9545034
DXC_ _20000T9		.7874	20.00	20	160	190	243	9544905	228	258	310	9545035

***Order Example**

DXC_ _06900T9 > 08xD >>> DXC0806900T9

DXC_ _06900T9 > 12xD >>> DXC1206900T9

"Other Dimensions Are Available Upon Request"